

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
82	637	((piezo or piezo\$1electric or piezoelectric or bimorph) same elastic near3 deform\$6)	USPAT; US-PGPUB; EPO; JPO	2004/11/03 12:08
84	6	((((piezo or piezo\$1electric or piezoelectric or bimorph) same elastic near3 deform\$6)) and (magnetic adj dis\$1 adj (drive or apparatus))	USPAT; US-PGPUB; EPO; JPO	2004/11/03 12:10
98	1	((thermal adj record\$3 same heat adj element) and ((capacitive or capacitance) adj actuator))	USPAT; US-PGPUB; EPO; JPO	2004/11/03 13:04
101	3	360/59,294.1,294.2,294.3,294.4,294.5,294.6.ccls. and ((capacitive or capacitance) adj actuator)	USPAT; US-PGPUB; EPO; JPO	2004/11/03 13:06
-	7902	(360/75,76,59).CCLS.	USPAT; US-PGPUB; EPO; JPO	2004/10/29 08:31
-	709263	(micro-actuator\$3 microactuat\$3 microposition\$3 subactuat\$3 ((actuat\$3 position\$3 driver\$1 motor\$1) near3 (auxiliary second\$4 fin\$2 micro sub dual piezo piezoelectric\$4 pzt bimorph piggyback\$3 (piggy adj back\$3))))	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:54
-	418665	((dis\$1 hard) near2 (drive apparatus)) HDA HDD DASD RAID (magnetic storage drive\$1 assembly) near2 (disk\$5 disc\$1 media medium) (storage near2 drive\$1))	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:40
-	56948	((micro-actuator\$3 microactuat\$3 microposition\$3 subactuat\$3 ((actuat\$3 position\$3 driver\$1 motor\$1) near3 (auxiliary second\$4 fin\$2 micro sub dual piezo piezoelectric\$4 pzt bimorph piggyback\$3 (piggy adj back\$3)))) and (((dis\$1 hard) near2 (drive apparatus)) HDA HDD DASD RAID (magnetic storage drive\$1 assembly) near2 (disk\$5 disc\$1 media medium) (storage near2 drive\$1)))	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:41
-	925	((360/75,76,59).CCLS.) and (((micro-actuator\$3 microactuat\$3 microposition\$3 subactuat\$3 ((actuat\$3 position\$3 driver\$1 motor\$1) near3 (auxiliary second\$4 fin\$2 micro sub dual piezo piezoelectric\$4 pzt bimorph piggyback\$3 (piggy adj back\$3)))) and (((dis\$1 hard) near2 (drive apparatus)) HDA HDD DASD RAID (magnetic storage drive\$1 assembly) near2 (disk\$5 disc\$1 media medium) (storage near2 drive\$1))))	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:41
-	3	((360/75,76,59).CCLS.) and (((micro-actuator\$3 microactuat\$3 microposition\$3 subactuat\$3 ((actuat\$3 position\$3 driver\$1 motor\$1) near3 (auxiliary second\$4 fin\$2 micro sub dual piezo piezoelectric\$4 pzt bimorph piggyback\$3 (piggy adj back\$3)))) and (((dis\$1 hard) near2 (drive apparatus)) HDA HDD DASD RAID (magnetic storage drive\$1 assembly) near2 (disk\$5 disc\$1 media medium) (storage near2 drive\$1)))) and (heat or heater) adj element	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:41

-	3	(((360/75,76,59).CCLS.) and (((micro-actuator\$3 microactuat\$3 microposition\$3 subactuat\$3 ((actuat\$3 position\$3 driver\$1 motor\$1) near3 (auxiliary second\$4 fin\$2 micro sub dual piezo piezoelectric\$4 pzt bimorph piggyback\$3 (piggy adj back\$3)))))) and (((dis\$1 hard) near2 (drive apparatus)) HDA HDD DASD RAID (magnetic storage drive\$1 assembly) near2 (disk\$5 disc\$1 media medium) (storage near2 drive\$1)))))) and ((heat or heater) adj element)	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:50
-	6522	(magnetic adj (disk or disc or storage or medi\$2)) same slider	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:52
-	13	((magnetic adj (disk or disc or storage or medi\$2)) same slider) and ((heat or heater) adj element)	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:53
-	123401	piezo\$1electric or piezoelectric	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:54
-	381	(((360/75,76,59).CCLS.) and (piezo\$1electric or piezoelectric))	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:54
-	54	(((360/75,76,59).CCLS.) and (piezo\$1electric or piezoelectric)) and (offset\$4)	USPAT; US-PGPUB; EPO; JPO	2004/10/27 17:05
-	1	(((360/75,76,59).CCLS.) and (piezo\$1electric or piezoelectric)) and yaw adj angle	USPAT; US-PGPUB; EPO; JPO	2004/11/01 13:07
-	7	(((360/75,76,59).CCLS.) and (piezo\$1electric or piezoelectric)) and yaw	USPAT; US-PGPUB; EPO; JPO	2004/10/27 16:58
-	4	(((360/75,76,59).CCLS.) and (piezo\$1electric or piezoelectric)) and (offset\$4)) and (heat or heater)	USPAT; US-PGPUB; EPO; JPO	2004/10/27 17:06
-	201	((piezo or piezo\$1electric or piezoelectric or bimorph) near3 offset\$4)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 11:56
-	3	(((piezo or piezo\$1electric or piezoelectric or bimorph) near3 offset\$4)) and ((heat or heater) adj element)	USPAT; US-PGPUB; EPO; JPO	2004/11/03 12:04
-	135128	piezo or piezo\$1electric or piezoelectric or bimorph	USPAT; US-PGPUB; EPO; JPO	2004/11/03 14:07
-	8541	(360/75,76,59,77.02,77.03).CCLS.	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:05
-	192	(369/13.02,13.33).CCLS.	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:00
-	518	(piezo or piezo\$1electric or piezoelectric or bimorph) and ((360/75,76,59,77.02,77.03).CCLS.)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:00
-	473	((piezo or piezo\$1electric or piezoelectric or bimorph) and ((360/75,76,59,77.02,77.03).CCLS.)) and (align\$4 or adjust\$4 or track\$4 or direction)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:01

-	182	((piezo or piezo\$1electric or piezoelectric or bimorph) and ((360/75,76,59,77.02,77.03).CCLS.)) and (align\$4 or adjust\$4 or track\$4 or direction)) and (magnetic adj dis\$1)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:02
-	1	((369/13.02,13.33).CCLS.) and (((piezo or piezo\$1electric or piezoelectric or bimorph) and ((360/75,76,59,77.02,77.03).CCLS.)) and (align\$4 or adjust\$4 or track\$4 or direction))	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:02
-	9984	(piezo or piezo\$1electric or piezoelectric or bimorph) adj actuator	USPAT; US-PGPUB; EPO; JPO	2004/10/28 15:47
-	315	((piezo or piezo\$1electric or piezoelectric or bimorph) adj actuator) and (magnetic adj dis\$1)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:04
-	29	((360/75,76,59,77.02,77.03).CCLS.) and (((piezo or piezo\$1electric or piezoelectric or bimorph) adj actuator) and (magnetic adj dis\$1))	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:05
-	8653	(360/75,76,59,77.02,77.03,78.05).CCLS.	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:05
-	40	((piezo or piezo\$1electric or piezoelectric or bimorph) adj actuator) and (magnetic adj dis\$1)) and ((360/75,76,59,77.02,77.03,78.05).CCLS.)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:16
-	3718	((piezo or piezo\$1electric or piezoelectric or bimorph) adj actuator) and (mirror or lens or beam)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:18
-	192	((piezo or piezo\$1electric or piezoelectric or bimorph) adj actuator) and (mirror or lens or beam)) and (magnetic adj dis\$1)) and actuator	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:18
-	192	((piezo or piezo\$1electric or piezoelectric or bimorph) adj actuator) and (mirror or lens or beam)) and (magnetic adj dis\$1)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 12:25
-	116	((piezo or piezo\$1electric or piezoelectric or bimorph) adj actuator) and (mirror or lens or beam)) and (magnetic adj dis\$1)) and (laser or (heat adj element))	USPAT; US-PGPUB; EPO; JPO	2004/10/28 15:42
-	391	369/13.33,13.32,13.13,13.12,13.11,300.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:29
-	13	((piezo or piezo\$1electric or piezoelectric or bimorph) near10 (magnet\$2 near2 optic\$2) near5 (head or slider\$1))	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:14
-	247	((piezo or piezo\$1electric or piezoelectric or bimorph) near10 (magnet\$2 near2 optic\$2))	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:02
-	83	((piezo or piezo\$1electric or piezoelectric or bimorph) near10 (magnet\$2 near2 optic\$2))) and (head or slider\$1)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:13
-	7839	((piezo or piezo\$1electric or piezoelectric or bimorph) near5 (head or slider\$1))	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:30
-	14	369/13.33,13.32,13.13,13.12,13.11,300.ccls. and (((piezo or piezo\$1electric or piezoelectric or bimorph) near5 (head or slider\$1)))	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:18

-	103	369/300.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/10/29 10:01
-	336	369/13.33,13.32,13.13,13.12,13.11,300.ccls. and (slider or head)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:55
-	44	(piezo or piezo\$1electric or piezoelectric or bimorph) and (369/13.33,13.32,13.13,13.12,13.11,300.ccls. and (slider or head))	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:52
-	0	(piezo or piezo\$1electric or piezoelectric or bimorph) and 369/13.33,13.11,13.1	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:52
-	46	(piezo or piezo\$1electric or piezoelectric or bimorph) and 369/13.33,13.32,13.13,13.12,13.11,300.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:52
-	191	(360/77.16).CCLS.	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:56
-	190	((360/77.16).CCLS.) and (head or slider)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:56
-	14	((((360/77.16).CCLS.) and (head or slider)) and (heat or heater)	USPAT; US-PGPUB; EPO; JPO	2004/10/28 16:57
-	37	369/13.12.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/10/29 09:08
-	28636	((write or record\$3) adj head) same (adjust\$3 or position\$3 or align\$3 or track\$3)	USPAT; US-PGPUB; EPO; JPO	2004/10/29 09:13
-	616	((((write or record\$3) adj head) same (adjust\$3 or position\$3 or align\$3 or track\$3)) and (heat near5 area)	USPAT; US-PGPUB; EPO; JPO	2004/10/29 09:14
-	7	(((((write or record\$3) adj head) same (adjust\$3 or position\$3 or align\$3 or track\$3)) and (heat near5 area)) and (piezo or piezo\$1electric or piezoelectric or bimorph)) and slider	USPAT; US-PGPUB; EPO; JPO	2004/10/29 09:15
-	126	(((((write or record\$3) adj head) same (adjust\$3 or position\$3 or align\$3 or track\$3)) and (heat near5 area)) and (piezo or piezo\$1electric or piezoelectric or bimorph)	USPAT; US-PGPUB; EPO; JPO	2004/10/29 09:50
-	28	thermal adj record\$3 same heat adj element	USPAT; US-PGPUB; EPO; JPO	2004/11/03 13:03
-	4	((magnet\$2 near2 optic) same (align\$3 or adjust\$3) near2 head)	USPAT; US-PGPUB; EPO; JPO	2004/10/29 10:04
-	6	("5986978" "6016290" "6243288" "6243350" "6307818" "6507540").PN.	USPAT	2004/10/29 10:06
-	2	((magnet\$2 near2 optic adj dis\$1) same (align\$3 or adjust\$3) near2 head)	USPAT; US-PGPUB; EPO; JPO	2004/10/29 11:26
-	2	((("6324130") or ("6275454")).PN.	USPAT; US-PGPUB; EPO; JPO	2004/10/29 10:31

-	1034	360/59,294.1,294.2,294.3,294.4,294.5,294.6.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/10/29 11:01
-	225	360/59,294.1,294.2,294.3,294.4,294.5,294.6.ccls. and ((position\$3 or align\$3 or track\$3) near head and slider)	USPAT; US-PGPUB; EPO; JPO	2004/10/29 11:02
-	332	360/59,294.1,294.2,294.3,294.4,294.5,294.6.ccls. and ((position\$3 or align\$3 or track\$3) near head)	USPAT; US-PGPUB; EPO; JPO	2004/11/03 13:05
-	18	(360/59,294.1,294.2,294.3,294.4,294.5,294.6.ccls. and ((position\$3 or align\$3 or track\$3) near head)) and (magnet\$2 near2 optic)	USPAT; US-PGPUB; EPO; JPO	2004/10/29 11:03